



Railing Passion






Sistema / System / Système
GlassFit CC-791



New!



CC-791 AISI-316

BA SATIN

	A	B	C	RE	G
1	203	58	160	27-33	16,38-21,52

Regulable.
Adjustable.
Ajustable.



Posibilidades de anclaje CC-791 / Anchoring possibilities for the CC-791 / Possibilités d'ancrage CC-791

C25/30 Uncracked	C25/30 Cracked / Uncracked
FIS VS 300 T M-12 + DIN-975 + DIN 934 + DIN 125 (Brico Pag. 103 / 104)	FIS SB 390 S M12 + DIN 975 + DIN 934 + DIN 125 (Brico Pag. 103 / 104)

* Cracked / Uncracked
Hormigón Traccionado / Hormigón Comprimido
Béton comprimé / Béton en traction

Instalación / Installation / Installation

CC-791

1 Dispositivo interior que permite ajustes de 360°
Inner device that allows 360° adjustments
Dispositif intérieur permettant des réglages de 360°

2 Sistema de nivelación / Leveling system / Système de nivelation

3

4

5




Ver video de instalación en / Watch installation video at / Voir video d'installation à www.comenza.com




Instalación vidrio con taladros / Glass installation with drilling / Installation du verre avec perçage

CC-791



Instalación vidrio sin taladros / Glass installation without drilling / Installation du verre sans perçage

CC-791





grupo
centrocibic
Delegación en Baleares



comenza@centrocibic.es

Tel. +34 971 229 545

Fax. +34 971 229 544

www.centrocibic.es